



4331 EUCALYPTUS AVE. ~~ CHINO, CA 91710
909-597-7800 Fax 909-597-7185

FTR10038 & FTR10038BK
RHINO BED VALANCE KIT
STAINLESS STEEL & BLACK POWDER COAT

Parts List:

Qu a	Part #	Description
1	FT95032	Corner Drv. Stainless
1	FT95033	Corner Pass. Stainless
1	FT95034	Hinge Plate Stainless
1	FT95035	Hardware Kit
2	FT10038i	Instruction Sheet

Qu a	Part #	Description
1	FT95036BK	Corner Drv.
1	FT95037BK	Corner Pass.
1	FT95038BK	Hinge Plate
1	FT95035	Hardware Kit
2	FT10038i	Instruction Sheet

Hardware Kit:

Qu a	Description
8	#12 x 1/2" long (18-8 SS Pan Head Phillips Sheet Metal Screw)
2	1/4"-20 x 3/4" Hex Head Cap Screw
4	1/4" SAE Flat Washer
2	#12-24 x 1 1/2" long (18-8 SS Pan Head Phillips Machine Screw)
2	#12-24 Zinc Plated SAE Nylock Nut
2	1/4"-20 Zinc Plated Nylock Nut
4	Plastic Spacer: L-3/4" O.D.-1/2" I.D.-.252"
2	#12 x 2 1/2" long (18-8 SS Pan Head Phillips Sheet Metal Screw)

TOOL LIST:

- Assorted Metric & Standard Wrenches
- Phillips & Standard Screw Drivers

WARNING

READ ALL INSTRUCTIONS THOROUGHLY FROM START TO FINISH BEFORE BEGINNING INSTALLATION.

CHECK ALL PARTS INCLUDED IN THIS KIT TO THE PARTS LIST ABOVE BEFORE BEGINNING INSTALLATION OF THIS KIT. IF ANY PARTS ARE MISSING, CONTACT FABTECH AT 909-597-7800.

DO NOT ALTER THE FINISH OF THESE COMPONENTS, EXAMPLE- CHROMING, ZINC PLATING OR PAINTING. CHANGING THE FINISH CAN CAUSE STRUCTURAL FATIGUE OF COMPONENTS.

INSTALLATION INSTRUCTIONS:

1. Disconnect the negative terminal on the battery.
2. Locate the two factory hinge covers. Remove the two hinge cover and discard along with the hardware.
3. Locate FT95034 (stainless) FT95038BK (black powder coat) full length hinge cover. Line the cover plate holes up to the factory holes on the Rhino. Using the supplied Phillips screw attach the cover plate to the Rhino Tail Gate. SEE PHOTO BELOW.



Photo Shown With Corners Installed

4. Locate FT95032 (stainless) FT95036BK (black powder coat) Driver Corner. Place the Valance corner up against the body, lining it up to the forward factory hole in the body. Using the supplied 1/4" x 3/4" Hex Bolt and Nylock nut and washers, attach it to the body. Some models may need a 1/4" drill bit ran through the forward mount hole to allow installation of the 1/4" hardware. If you have a Fabtech Rear Bumper installed this is a shared hole with the bumper mount. SEE PHOTO IN NEXT COLUMN.



5. Using a drill with a #12 drill bit, drill the rear mounting hole out. **USE CARE NOT TO DAMAGE OR SCRATCH THE STAINLESS STEEL CORNER.** SEE PHOTOS BELOW AND ON NEXT PAGE.





Photo above shows access to the rear for use of machine screw and nut with corner installed



Photo above shows NO access to the rear mount. Corner NOT INSTALLED



6. Locate the supplied plastic sleeve and place it between the body and the new corner valance rear mount. **NOTE: Due to variances in the bodies of the Rhino's you may need to sand the plastic sleeve down to line up the corner valance to the body. On 2005 models you will need to stack two plastic spacers on top of each other to line the corner valance up to the body.** Using the supplied hardware attach the corner valance to the body. Note: on the rear mounting hardware on models with access to the back side you will use the supplied Phillips head machine screw and nut to mount it, on models with no access to the rear side of the mount you will need to use the supplied Phillips head sheet metal screw. SEE PHOTOS IN NEXT COLUMN.



7. Reconnect the Negative terminal of the battery.

RETORQUE ALL NUTS, BOLTS AND LUGS AFTER 50 MILES AND PERIODICALLY THEREAFTER.

For technical assistance call: 909-597-7800

Product Warranty and Warnings-

Fabtech provides a Limited Lifetime Warranty to the original retail purchaser who owns the vehicle, on which the product was originally installed, for defects in workmanship and materials.

The Limited Lifetime Warranty excludes the following Fabtech items; bushings, bump stops, ball joints, tie rod ends, limiting straps, cross shafts, heim joints. These parts are subject to wear and are not considered defective when worn. They are warranted for 60 days from the date of purchase for defects in workmanship.

Take apart shocks are considered a serviceable shock with a one year warranty on leakage only. Service seal kits are available separately for future maintenance. All other shocks are covered under our Limited Lifetime Warranty.

Fabtech does not warrant any product for finish, alterations, modifications and/or installation contrary to Fabtech's instructions. Alterations to the finish of the parts including but not limited to painting, powdercoating, plating and/or welding will void all warranties. Some finish damage may occur to parts during shipping which is considered normal and is not covered under warranty.

Fabtech products are not designed nor intended to be installed on vehicles used in race applications or for racing purposes or for similar activities. (A "RACE" is defined as any contest between two or more vehicles, or any contest of one or more vehicle against the clock, whether or not such contest is for a prize). This warranty does not include coverage for police or taxi vehicles, race vehicles, or vehicles used for government or commercial purposes. Also excluded from this warranty are sales outside of the United States of America.

Installation of most suspension products will raise the center of gravity of the vehicle and will cause the vehicle to handle differently than stock. It may increase the vehicle's susceptibility to a rollover, on road and off road, at all speeds. Extreme care should be taken to operate the vehicle safely at all times to prevent rollover or loss of control resulting in serious injury or death. Fabtech front end Desert Guards may impair the deployment or operation of vehicles equipped with supplemental restraining systems/air bag systems and should not be installed if the vehicle is equipped as so.

Fabtech makes every effort to ensure suspension product compatibility with all vehicles listed in the catalog, but due to unknown auto manufacturers production changes and/or inconsistencies by the auto manufacturer, Fabtech cannot be responsible for 100% compatibility, including the fitment of tire and wheel sizes listed. The Tire and Wheel sizes listed in Fabtech's catalog are only a guideline for street driving with noted fender trimming. Fabtech is not responsible for damages to the vehicle's body or tires.

Fabtech's obligation under this warranty is limited to the repair or replacement, at Fabtech option, of the defective product only. All costs of removal, installation or re-installation, freight charges, incidental or consequential damages are expressly excluded from this warranty. Fabtech is not responsible for damages and/or warranty of other vehicle parts related or non related to the installed Fabtech product. This warranty is expressly in lieu of all other warranties expressed or implied. This warranty shall not apply to any product that has been subject to accident, negligence, alteration, abuse or misuse as determined by Fabtech.

Fabtech suspension components must be installed as a complete system including shocks as shown in our current catalog. All warranties will become void if Fabtech parts are combined and/or substituted with other aftermarket suspension products. Combination and/or substitution of other aftermarket suspension parts may cause premature wear and/or product failure resulting in an accident causing injury or death. Fabtech does not warrant products not manufactured by Fabtech.

Installation of Fabtech product may void the vehicles factory warranty; it is the consumer's responsibility to check with their local vehicle's dealer for warranty disposition before the installation of the product.

It is the responsibility of the distributor and/or the retailer to review all warranties and warnings of Fabtech products with the consumer prior to purchase.

Fabtech reserves the right to supercede, discontinue, change the design, finish, part number and, or application of parts when deemed necessary without written notice. Fabtech is not responsible for misprints or typographical errors within the catalog or price sheet.